IsoFlex™

Finally. A 6-Size, Powder-Free, Smooth Exam Glove.

DASH IsoFlex exam gloves come in six numeric sizes, assuring you a comfortable fit every time. IsoFlex exam gloves are non-chlorinated making them odor-free and slip resistant, eliminating the need for a textured surface. The smooth surface of IsoFlex provides the ultimate in tactile sensitivity, allowing you to feel even the smallest details.

Available in X-Small (6), Small (6½), Small-Medium (7), Medium (7½), Medium-Large (8), Large (8½)

BOXES ARE COLOR-CODED BY SIZE

DASH®
MEDICAL GLOVES
Where Safety Meets Comfort™

CAUTION: This product contains natural rubber latex which may cause allergic reactions.

LATEX | POWDER FREE | POLYMER COATED | SMOOTH

Phone: 1-800-523-2055   Fax: 1-800-523-7795   www.dashmedical.com

©2008 DASH Medical Gloves Inc. DASH is a registered trademark of DASH Medical Gloves Inc., registered in the US P&TM Office

(box text) IsoFlex™ POLYMER COATED POWDER FREE

DASH MEDICAL GLOVES
100 LATEX EXAMINATION GLOVES
SMALL MEDIUM

IsoFlex™ Glove Features

Material: natural rubber latex
Type: non-sterile
Color: natural
Glove Interior: powder free, chlorine free, polymer coated
Glove Exterior: smooth surface
Shape: ambidextrous
Cuff: beaded
Usage: single use only
Quantities: 100 gloves per dispenser box, by weight

Protein Content: less than 50 µg/g per ASTM D 5712
Quality Certification: ISO 9002, FDA QSR
Tensile Strength
  Before Aging (MPa): 21 min
  After Aging (MPa): 16 min
Elasticity/Elongation
  Before Aging: 700%
  After Aging: 500%

Glove Size	Palm Width (mm)	Length (mm)	Thickness at Palm	Thickness at Finger
X-Small	76 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil
Small	84 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil
Small-Medium	88 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil
Medium	94 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil
Medium-Large	102 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil
Large	110 (±5)	240 (±5)	0.13 mm (±0.01)/5.1 mil	0.14 mm (±0.01)/5.5 mil